# **2023 COVID-19 NOTICE**

If you have a fever, unexplained cough, or respiratory symptoms or have been exposed to someone with symptoms or confirmed COVID-19 infection in the last 21 days, CALL and reschedule your colonoscopy procedure. <u>Don't do the prep</u> and risk being turned away.

# SUTAB-ENSURE COLONOSCOPY Split "PREP"



Modern colonoscopy is a diagnostic procedure to examine the colon or large intestine. Over the past 50 years, it has become the gold standard in screening for colon polyps and preventing colorectal cancer. With modern methods of sedation and newer thin, flexible instruments, most exams are quick, painless, and very safe. However, for an accurate and safe exam, your colon must be purged of all waste material using a restricted diet and laxative preparation, or "prep." Colonoscopy is an important exam. Read this carefully and take the time to prepare correctly. *REMEMBER: An accurate exam requires an excellent prep.* 

Arriving in 2021, **SUTAB** is the LATEST INNOVATION IN COLONOSCOPY PREPARATION. You may have heard horror stories of past large volume 135 ounce "preps" like GoLytely or some of the newer lower volume preps that were somewhat nauseating and distasteful. SUTAB is the first formulation that allows a lower volume of fluid (96 0z) and comes in a tasteless tablet form. Finally!

*WARNING:* SUTAB and other low volume concentrated prep solutions are NOT to be used by individuals with severe Chronic Kidney Disease or Kidney Failure. A higher volume lower concentration prep must be used. If you have kidney failure, please call.

Most patients report that the worst part of the procedure is not the actual colonoscopy, but the necessary preparation the day before. Preparing for a colonoscopy is never pleasant, but fortunately, this new "pill prep" was developed to make this process as simple as possible. You must follow all instructions carefully so that the test does not need to be rescheduled. If you have any questions, please call our office at (412) 262-1000 option #2.

To prepare for your exam, you will need a prescription to purchase:

- P One SUTAB Bowel Prep Kit which contains two small bottles. In each bottle, there are 12 tablets.
- **U** ZOFRAN (ondansetron) 4 mg antinausea pills if your doctor ordered (recommended)

All bowel preps may cause some anal irritation. We also recommend that you purchase:

- $\triangleright$  A soft brand of toilet tissue.
- A box of baby wipes such as Huggies or Pampers Aloe wipes
- Done small tube of diaper rash ointment or Zinc Oxide cream
- A small bottle of Milk of Magnesia (if you suffer from constipation)
- **OPTIONAL**] Your doctor may also prescribe Zofran (ondansetron) anti-nausea pills.
- Description [OPTIONAL] Three (3) bottles of ENSURE or BOOST nutritional supplement. Any flavor. This is NOT required but seems to make the prep more tolerable.



This new SUTAB prep is safe and effective. It is split into TWO portions:

1. The first half is taken the night before your exam.

2. The second half must be taken on the morning of your exam, STARTING 6 <sup>1</sup>/<sub>2</sub> HOURS BEFORE YOUR APPOINTMENT and completed within 2 hours. YOU MUST HAVE NOTHING BY MOUTH THOSE LAST FOUR (4) HOURS BEFORE YOUR EXAM – NO FOOD, LIQUIDS *INCLUDING WATER*, TOBACCO, CANDY, OR EVEN CHEWING GUM.

#### THREE (3) DAYS BEFORE YOUR COLONOSCOPY

Make arrangements for a companion to accompany you to your appointment and drive you home. If possible, this person should be someone we can share the examination results with. *We require that your driver remains here the entire time you are here, which averages around two hours* – otherwise, your appointment may have to be rescheduled.

It is best to eat lightly for a few days before your exam. It makes the cleanout easier and more effective. *What goes in – has to come out.* Try to avoid overeating to compensate for the upcoming fast. Please avoid Metamucil, vitamins containing iron, raw vegetables, corn, sesame seeds, and foods with skin or tiny seeds such as tomatoes, kiwi, and cucumbers for a few days before your exam. Discontinue any fiber supplements. (Metamucil, Benefiber, Citrucel, etc.)

# TWO (2) DAYS BEFORE YOUR COLONOSCOPY

*Regular activity and diet, but don't overeat. Also, don't go into the prep constipated.* If you feel that is the case, we suggest you take an over-the-counter laxative (such as 4 TBSP of Milk of Magnesia) and 4 glasses of water after dinner TWO nights before your exam to "prime the pump."



### ONE (1) DAY BEFORE YOUR COLONOSCOPY ("Prep Day")

Follow these instructions the day before your procedure:

**7 AM**. You may have a light breakfast, such as two eggs and one piece of white toast with coffee/tea (no cream), or cornflakes, yogurt, or cottage cheese, and drink one 8 oz bottle of ENSURE. Other than Ensure as directed, a "*clear*" *liquid diet* should be followed until your exam is completed. (See below) Drink plenty of clear fluids at least 8 oz every two hours while awake.)

**NOON** No solid food. You may drink a second 8 oz bottle of ENSURE. Drink plenty of clear fluids, at least 8 oz every two hours.

**4 PM.** No solid food. You may drink the third and last 8 oz bottle of ENSURE. Drink plenty of clear fluids, at least 8 oz every two hours. No more Ensure allowed.

### <mark>6 PM. BEGIN THE PREP</mark>

• IF the ZOFRAN (ondansetron) anti-nausea pill was ordered, take it and wait 15-30 minutes.

- Fill provided container with 16 ounces of water (up to the FILL line).
- Open a bottle of 12 tablets. DISCARD THE DESICCANT CAPSULE.
- TAKE ONE (1) PILL EVERY 1- 2 MINUTES DO NOT GO FASTER
- Swallow each tablet with a sip of water and drink the entire amount over 20 minutes.
  One hour after the last tablet is swallowed, fill the container with another 16 ounces of

water and drink the entire amount over 30 minutes.

• About 30 minutes after finishing the second container of water, fill the container with another 16 ounces of water and drink the entire amount over 30 minutes.



*For a safe prep and complete exam, you MUST drink all of the water specified.* You may drink more fluid if you wish. This may include water, iced tea, lemonade, white grape juice, Crystal Light, and Gatorade. Do NOT drink any milk products. Avoid red, blue, or purple liquids or popsicles as they may interfere with the exam.

# DAY OF COLONOSCOPY ("Test Day")

Do <u>NOT</u> eat breakfast.

#### **6 ½ HOURS BEFORE YOUR APPOINTMENT**

• IF the ZOFRAN (ondansetron) anti-nausea pill was ordered, take it and wait 15-30 minutes.

• Fill provided container with 16 ounces of water (up to the FILL line).

• Open a bottle of 12 tablets. DISCARD THE DESICCANT CAPSULE.

• TAKE ONE (1) PILL EVERY 1- 2 MINUTES – DO NOT GO FASTER

• Swallow each tablet with a sip of water and drink the entire amount over 20 minutes.

• One hour after the last tablet is swallowed, fill the container with another 16 ounces of water and drink the entire amount over 30 minutes.

• About 30 minutes after finishing the second container of water, fill the container with another 16 ounces of water and drink the entire amount over 30 minutes.

To prevent aspiration of stomach contents into your lungs while under the anesthetic, YOU MUST HAVE NOTHING BY MOUTH THOSE LAST FOUR HOURS BEFORE YOUR EXAM – NO FOOD, LIQUIDS *INCLUDING WATER*, TOBACCO, CANDY, OR EVEN CHEWING GUM – OTHERWISE YOUR EXAM MAY BE CANCELLED.

However, you may take any essential prescription medications with a **small** sip of water, <u>especially any medications for HIGH BLOOD PRESSURE</u>. (Diabetic medications and blood thinners such as Coumadin, warfarin, Pradaxa, Xarelto, Eliquis, etc., require special instructions. Ask your doctor.) If you use any <u>INHALERS FOR ASTHMA</u>, even infrequently, please bring them with you.

Plan to arrive <u>ON TIME</u> for your appointment. Wear comfortable clothing and shoes that are easily removed. Leave jewelry and other valuables at home. No firearms are permitted. Bring your insurance card and driver's license. If there is a copay or deductible, be prepared to pay it.

#### YOUR DRIVER

*Bring a driver who can remain here the entire time you are here.* The average visit is about two hours. Arriving late or without a driver may require canceling and rescheduling your procedure. Patients that would like to have their driver come to recovery after their procedure must have their driver remain in the waiting room the entire time. If the nurse comes to the waiting room to call your driver back and they have left the waiting room, they may miss the opportunity to come to recovery when the doctor goes over the results.

**Note:** "CLEAR" LIQUIDS ALLOWED: This includes clear fat-free broths, bouillon, coffee, and tea (without cream or non-dairy creamer), Kool-Aid, Crystal Light, carbonated beverages, clear sodas like ginger ale, orange juice, and other fruit juices without pulp, popsicles without pulp, Jell-O, hard candies, and Italian ices. **You are not allowed:** orange juice with pulp, fruit nectars, liquids you cannot see through, milk, cream, and non-dairy creamer. Avoid anything red or purple in color. No alcoholic drinks.

YOU SHOULD CALL THE OFFICE AT 412-262-1000 AFTER 8 AM ON THE MORNING OF YOUR TEST IF YOU ARE STILL HAVING SOLID OR BROWN STOOLS.

Three Rivers Endoscopy Center

725 Cherrington Parkway • Moon Township, PA 15108-4305 412.262.1000 • <u>www.gihealth.com</u> • IG: @thedigestivetract

# Consider Adding Zofran to your prep

This SUTAB prep has been very effective in preparing for the colonoscopy exam. Of all the distasteful preps that we have prescribed in the past, this new tasteless "pill prep" has been the best tolerated by our patients. However, you are still putting a lot of chemicals into an empty stomach, and we find that about 30% of our patients have experienced some nausea with SUTAB. This can interfere with the prep, and the test may have to be rescheduled.

We have found that by adding an antinausea pill ZOFRAN (ondansetron) 4 mg about 30 minutes before *each* half of the split prep, nausea is not a problem. We recommend that you add this to your prep protocol.

In case this prescription was NOT already sent to your pharmacy, we have included a paper copy below to give to your pharmacist. Consider it a little insurance for a good prep experience...